

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/796,216	03/09/2004	Ben Penner	TTC-13702/08	2719
63796 75	90 10/06/2006		EXAMINER	
GIFFORD, KRASS, GROH, SPRINKLE,			ILAN, RUTH	
ANDERSON & CITKOWSKI, P.C. P.O. BOX 7021			ART UNIT	PAPER NUMBER
TROY, MI 48			3616	
			DATE MAILED: 10/06/2000	5

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
Office Action Summers	10/796,216	PENNER ET AL.				
Office Action Summary	Examiner	Art Unit				
	Ruth Ilan	3616				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 6(a). In no event, however, may a reply be tim ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	I. ely filed the mailing date of this communication. O (35 U.S.C. § 133).				
Status		•				
1) Responsive to communication(s) filed on 13 Ju	Responsive to communication(s) filed on 13 July 2006.					
<u>_</u>	action is non-final.					
,	, 					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1 and 3-11</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5)⊠ Claim(s) <u>11</u> is/are allowed.						
6)⊠ Claim(s) <u>1, 3-10</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9)☐ The specification is objected to by the Examiner	, ,					
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)☐ The oath or declaration is objected to by the Exa		•				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) ☐ All b) ☐ Some * c) ☐ None of:						
 Certified copies of the priority documents have been received. 						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of	of the certified copies not receive	d.				
Attachment(s)						
Notice of References Cited (PTO-892)	4) Interview Summary (
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Måil Date 5) Notice of Informal Patent Application					
Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	6) Other:	nont rippiioation				

Application/Control Number: 10/796,216 Page 2

Art Unit: 3616

DETAILED ACTION

Drawings

1. The drawings were received on 7/13/06. These drawings are approved.

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1, and 3-6 are rejected under 35 U.S.C. 102(b) as being anticipated by Okuyama (US 5,037,130.) Okuyama teaches an occupant restraint mechanism disposed between a rigid member (7) and an instrument panel including first and second brackets (5) extending between proximal ends fixedly secured to the rigid member (at 11) and distal ends coupled to the instrument panel (3). As seen in Figure 5, Okuyama teaches a concave notch (29) formed that allows for a predetermined amount of deformation. The notch is formed in at least one of the outer walls. As seen in Figure 5, the brackets are U-shaped, with a web. The notch is formed in an open edge of the wall and is concave toward the web. Also, as seen in Figure 5, the bracket extends arcuately. Regarding claim 1, as amended the notch extends through a portion of the generally parallel side wall (as seen in Figure 5, there is space between the bottom of the notch and the bottom of the side wall, more easily seen in the side wall closer to the top of the page.

Claim Rejections - 35 USC § 103

Application/Control Number: 10/796,216 Page 3

Art Unit: 3616

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 7-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Okuyama (US 5,037,130) in view of Witkovsky (US 5,456,494.) Okuyama et al. is discussed above, and for those elements not previously discussed, additionally teaches that an end wall (see Figure 2a – bent portion flush with element 3, and fixed by machine screws, (see col. 2, lines 45-47, hence inherently having apertures.) Regarding claim 10, both of the brackets are positioned in the vicinity of the occupant's knees.) Okuyama fails to teach a flange formed at the proximal end to facilitate welding to the rigid member. Witkovsky teaches a bracket that is welded to a rigid member. The bracket includes a flange (at 10.) which is helpful in providing a weld surface. It would have been obvious to one having ordinary skill in the art at the time of the invention, to include a flange at the weld joint of Okuyama, as taught by Witkovsky, in order to provide a weld connection with sufficient surface area to provide a strong joint.

Allowable Subject Matter

5. Claim 11 is allowed.

Response to Arguments

6. Applicant's arguments filed 7/13/06 have been fully considered but they are not persuasive. The Applicant argues that the notch of Okuyama extends through the entire height of the wall. The Examiner respectfully disagrees, there is clearly space at the bottom of the notch, between the bottom of the notch and the bottom of the wall.

Conclusion

Page 4

7. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ruth Ilan whose telephone number is 571-272-6673. The examiner can normally be reached on Monday-Friday, 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paul Dickson can be reached on 571-272-6669. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

À,

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Ruth Ilan

Primary Examiner

Page 5

Art Unit 3616

RI